



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4003H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4003 – EN 10088-4:2009
2.	Type	1.4003
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 7	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 1	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 1	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 7	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 7	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4016H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4016 – EN 10088-4:2009
2.	Type	1.4016
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 7	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 1	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 1	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 7	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 7	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4301H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4301 – EN 10088-4:2009
2.	Type	1.4301
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 10	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 10	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 10	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4307H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4307 – EN 10088-4:2009
2.	Type	1.4307
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 10	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 10	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 10	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4362H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4362 – EN 10088-4:2009
2.	Type	1.4362
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 11	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 4	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 4	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 11	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 11	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4401H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4401 – EN 10088-4:2009
2.	Type	1.4401
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 10	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 10	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 10	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4404H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4404 – EN 10088-4:2009
2.	Type	1.4404
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 10	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 3	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 10	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 10	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013



**DECLARATION OF PERFORMANCE AND
CONFORMITY:
EN 10088-4:2009**

Document no.:
TEC-DOP-4462H

Revision 0

Manufacturer: Columbus Stainless (Pty) Ltd
 Manufacturer's Address: Hendrina Road, Middelburg, South Africa, 1050

1.	Identification code of the product-type	1.4462 – EN 10088-4:2009
2.	Type	1.4462
3.	Product	Hot Rolled Strip & Sheet of Corrosion Resisting Steel
4.	Intended use	Building Construction or Civil Engineering
5.	The Notified Body: has conducted the first inspection and continuous surveillance according to the system: and issued the certificate: as a confirmation of conformity for the factory production control	TÜV NORD Systems GmbH & Co.KG, Hamburg 2+ 0045-CPD-1805
6.	Authorised Representative in the EU	Acerinox Europa S.A.U. C/ Santiago de Compostela nº 100. 28035 Madrid, Spain
7.	Declared Performance:	

Essential Characteristics	Performance	Harmonised Technical Specification
Tolerances on Dimensions and Shape	Tables 1, 2, 3 & 4 Paragraphs 9, 10 & 11	ISO 9444-1:2009
Mechanical Properties: <ul style="list-style-type: none"> • Tensile strength • 0.2% Proof strength • Elongation • Impact strength 	Table 11	EN 10088-4:2009
Weldability [Covered by chemical composition]	Table 4	EN 10088-4:2009
Durability [Covered by chemical composition]	Table 4	EN 10088-4:2009
Fracture Toughness / Brittle Strength [Covered by impact strength]	Table 11	EN 10088-4:2009
Cold Formability [Covered by elongation]	Table 11	EN 10088-4:2009
Regulated substance	No performance determined	

The performance of the product is in accordance with the specification given above.
 This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DP Martin: CEO Columbus Stainless

Signed at Middelburg, South Africa on the 1st day of July 2013