



0780

S.C. VIMETCO EXTRUSION S.R.L., Milcov Street, No. 1

11

0780-CPD-112056

EN 15088 : 2005

Extruded Aluminum profiles from EN AW 6060 – T66

Intended use: Interior and exterior bearing structural
constrictions

Essential characteristics	Performance	Harmonized technical specification
Tolerances on dimensions and form	✓ Accepted	EN 15088 : 2005 EN 755 – 3 : 2008 EN 755 – 4 : 2008 EN 755 – 5 : 2008 EN 755 – 6 : 2008 EN 755 – 7: 2008 EN 755 – 8: 2008 EN 755 – 9 : 2008 EN 12020-2: 2008
Elongation	EN AW 6060 – T66	EN 15088 : 2005 EN 755 – 2 : 2008
Tensile strength		
Yield strength		

PERFORMANCE DECLARATION

En

No. 33

1. Unique identification code of the product-type:
Extruded aluminum profiles from EN AW 6060 alloy – T66
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
Lot number, product part number, bundle number. Please see delivery documentation
3. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
Structural products of aluminum alloys for interior and exterior construction works
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):
*S.C. VIMETCO EXTRUSION S.R.L., Milcov Street no 1, Olt County, SLATINA
Phone +40 (0)249 414 040 ; Fax +40 (0)249 432 550; Fax to email +40 (0)349 814 319
office@vimetco.ro ; www.vimetcoextrusion.com*
5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):
N/A
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
2+ System
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:
The body responsible for factory control TUV Rheinland LGA Bautechnik GmbH, registered under number 0780-CPD has performed the initial inspection of the factory, production control and continuous surveillance under the 2 + system and issued the certificate No. . 0780 - CPD – 112056 of conformity after the factory production control
8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:
N/A
9. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
<i>Tolerances on dimensions and form</i>	<i>Accepted</i>	<i>EN 15088 EN 755-3 EN 755-4 EN 755-5 EN 755-6 EN 755-7 EN 755-8 EN 755-9 EN 12020-2</i>
<i>Tensile strength</i>	<i>EN AW 6060 – T66</i>	<i>EN 15088</i>
<i>Yield strength</i>		<i>EN 755-2</i>
<i>Elongation</i>		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

MIHAELA PANTUCU, QC Assistant

Date:

16.08.2013

Signature and stamp

